



T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68



T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50

T4E PEPPERBALL .68



T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68



T4E CHALKBALL PRECISION .50
T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50


T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50







PPQ M2



T4E MARKINGBALL .50
T4E MARKINGBALL .68

T4E MARKINGBALL .68

T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68

T4E MARKINGBALL .43



T4E PEPPERBALL .43
T4E PEPPERBALL .50







T4E CHALKBALL .43

-0

T4E CHALKBALL .68

T4E CHALKBALL .50

T4E CHALKBALL PRECISION .50 O





T4E RUBBERBALL .43

T4E RUBBERBALL .50



T4E RUBBERBALL PRECISION .68





# TRAINING FOR DECISIVE ACTION.

Professionals must be able to judge critical situations and know when to draw a gun. That requires thorough preparation and practice. Only in this way are they able to apply what they've learned when under stress.

The training for engagement version of the Walther PPQ M2 is designed to meet these needs. It works like a real PPQ M2, with a convincing recoil and the same reliable operation, ensuring realistic conditions in the training area without the use of live ammunition.

The magazine of the PPQ M2 T4E holds eight .43 caliber projectiles. Users can choose between rubberballs, chalkballs and markingballs, which clearly mark where they hit the target. The pistol is powered by a 12 g  $CO_2$  capsule that sits in the magazine.

The functional elements are authentic as well. The training weapon features an adjustable sight and has the same magazine catch and trigger safety as the original. It also has a characteristic Hi-Grip finish and Picatinny rail.

### Walther PPQ M2 T4E LE



2.4761


Walther PPQ M2 T4E

1 SSS

Item no.	2.4760 / 2.4761		
Caliber	.43		
Energy	4.5 Joules		
$max. V_0$	110 m/s (360 fps)		
Capacity	8 rounds		
CO₂-capacity*	ca. 40 rounds*		
Weight	848 g		
Capacity CO <sub>2</sub> -capacity*	8 rounds ca. 40 rounds*		

 $^{\ast}$  Number of shots per capsule can vary, depending on environment, temperature, quality of CO  $_2$  and firing rate.

#### Accuracy



5 cm grouping (ø) at a distance of 5 meters shot with T4E rubberballs, cal. .43, 8 rounds.

### holster 3.1523




### e magazine 2.4760.1

2.4760



#### nmunition-specific springs



Ammunition-specific springs: black for rubberballs and silver for avoiding damage to ammunition that contains filler material (included in scope of supply).



T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68



T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50





T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68



T4E CHALKBALL PRECISION .50
T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50







# TM4 RIS





T4E MARKINGBALL .43 T4E MARKINGBALL .50

T4E MARKINGBALL .68




T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50



 $\circ$ 



T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50 T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .68  $\bigcirc$ T4E RUBBERBALL PRECISION .50 T4E RUBBERBALL PRECISION .68



# **LEARNING TO DEAL** WITH STRESS SITUATIONS.

The T4E TM4 RIS helps users perfect their skills in life-saving operations and develop a routine for stress situations.

The TM4 RIS, which was developed specially for the T4E series, is an AR15style rifle with an integrated 4-sided rail handguard. In structure and operation it differs from regular assault rifles most importantly in that it does not fire live ammunition, which makes it very useful for emergency simulations. This high-end training weapon weighs in at a hefty 2770 grams. It owes this to its sturdy metal frame, which can easily withstand the stress of tough training exercises. The TM4 RIS comes as standard with a peep sight that is adjustable in elevation

and windage. The rail interface system additionally allows you to mount various optical systems, sights and other attachments.

The TM4 RIS is powered by a 12 g CO<sub>2</sub> capsule in the 14-round magazine. The capsule produces a muzzle energy of up to 7.5 joules, part of which is used to simulate a realistic recoil. Depending on the type of ammunition (rubberballs, chalkballs or markingballs) the projectiles attain velocities of up to 125 m/s. The user-friendly handguard and retractable stock ensure safe handling of the TM4 RIS. The blue components of the law enforcement version clearly show that it is a training weapon.






T4E TM4 RIS 2.4750 / 2.4750X



2.4750	2.4750X / 2.4753X
.43	.43
7.2 Joules	7.2 Joules
semi-auto	semi-/ full-auto
125 m/s (410 fps)	125 m/s (410 fps)
14 rounds	14 rounds
ca. 50 rounds*	ca. 50 rounds*
2770 g	2770 g
680 - 763 mm	680 - 763 mm
	.43 7.2 Joules semi-auto 125 m/s (410 fps) 14 rounds ca. 50 rounds* 2770 g

<sup>\*</sup> Number of shots per capsule can vary, depending on environment, temperature, quality of CO<sub>2</sub> and firing rate.



10 cm grouping (ø) at a distance of 10 meters shot with





# **HK416**



T4E MARKINGBALL .50  $\bigcirc$ T4E MARKINGBALL .68  $\circ$ T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68

T4E MARKINGBALL .43

T4E PEPPERBALL .43 T4E PEPPERBALL .50

T4E PEPPERBALL .68

T4E PEPPERBALL PRECISION .50 T4E PEPPERBALL PRECISION .68

T4E CHALKBALL .43 T4E CHALKBALL .50

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50 T4E CHALKBALL PRECISION .68

T4E RUBBERBALL .43 T4E RUBBERBALL .50

 $\bigcirc$ T4E RUBBERBALL .68  $\bigcirc$ T4E RUBBERBALL PRECISION .50

T4E RUBBERBALL PRECISION .68

**HECKLER & KOCH** 



### SAFE HANDLING.

The key to safe handling of a service weapon in an emergency is intensive training, and that means working under conditions that are as realistic as possi-

The tremendous similarity between the HK 416 T4E and the original is visible at a glance: the dimensions and the manner of operation - loading, releasing the safety and firing - are the same. The all-metal rifle weighs a full 3000 g.

This training rifle fires .43 caliber rubberballs, chalkballs and markingballs. The magazine holds 14 rounds along with the 12 g CO<sub>2</sub> capsule, which delivers

a muzzle energy of up to seven joules. Part of the gas is returned in order to simulate a realistic recoil. The HK416 T4E comes with an adjustable peep site. The quadrail system also lets you mount other aiming aids and accessories.

In this law enforcement version the grip, handguard and magazine are in conspicuous blue to show that it is a training weapon.

HK416 T4E LE




HK416 T4E 2.4754



ltem no.	2.4754	2.4754X	
Caliber	.43	.43	
Energy	6.6 Joules	6.6 Joules	
Mode	semi-auto	semi-/ full-auto	
max. V <sub>o</sub>	120 m/s (393 fps)	120 m/s (393 fps)	
Capacity	14 rounds	14 rounds	
CO₂-capacity*	ca. 50 rounds*	ca. 50 rounds*	
Weight	3000 g	3000 g	
Length	805 - 880 mm	805 - 880 mm	

 $<sup>^{\</sup>ast}$  Number of shots per capsule can vary, depending on environment, temperature, quality of CO  $_2$  and firing rate.



10 cm grouping ( $\varnothing$ ) at a distance of 10 meters shot with T4E rubberballs, cal. .43, 10 rounds.



T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68

T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50

T4E PEPPERBALL .68



T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50
T4E CHALKBALL .68



T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68




T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68







Home! What does this word mean to you? Many things can come to mind: your home town, the house where you grew up, or just a feeling of being among friends or family members.

But above all, home is where your family is. It's where you feel welcome, comfortable and secure. But what if someone threatens this feeling of security? In such a situation you have to be able to defend yourself.

Our models in the T4E series, made for home defense, will help you be prepared.

HOME DEFENSE





T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68



T4E MARKINGBALL PRECISION .50
T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50





T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68



T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50





# **AMMUNITION**



**HDR 50** 



T4E MARKINGBALL .43

T4E MARKINGBALL .50

 $\bigcirc$ 

T4E MARKINGBALL .68

T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68

T4E PEPPERBALL .43

T4E PEPPERBALL .50

T4E PEPPERBALL .68

T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68

 $\bigcirc$ T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50 T4E CHALKBALL PRECISION .68

T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68

T4E RUBBERBALL PRECISION .50 T4E RUBBERBALL PRECISION .68



# IN A CLASS OF ITS OWN.

When it comes to security for you and your family, you shouldn't leave anything to chance. The Home Defense Revolver is not only very powerful, it's also extremely reliable.

When an emergency arises, it's essential to be well prepared. The rotary magazine of the HDR 50 holds six highly effective .50 caliber projectiles, and thanks to the quick-piercing system it's ready to use at any time. In an emergency you just insert a 12 g CO<sub>2</sub> capsule and puncture it with a light blow on the bottom of the grip.

In appearance the HDR 50 also shows that it means business, and with its muzzle energy of up to eleven joules it will make any attacker think twice. The textured surface provides a good grip in stress situations. And if you should drop the HDR 50 by mistake, the trigger safety will prevent accidental firing.

T4E HDR 50




2.4757 / 2.4758

Item no.	2.4757	2.4758	
Caliber	.50	.50	
Energy	7.5 Joules	< 11 Joules	
max. V <sub>o</sub>	115 m/s (377 fps)	140 m/s (459 fps)	
Capacity	6 rounds	6 rounds	
CO₂-capacity*	ca. 24 rounds*	ca. 18 rounds*	
Weight	755 g	755 g	
Length	255 mm	255 mm	

\* Number of shots per capsule can vary, depending on environment, temperature, quality of CO2 and firing rate.

### Accuracy




16 cm grouping (ø) at a distance of 10 meters shot with T4E rubberballs, cal. .50, 10 rounds.

T4E HDR 50 Spare clips, 2 pcs. 2.4757.1



The quick-piercing system keeps your HDR 50 ready to use at all times. If you want, you can wait until an emergency and then just pierce the CO<sub>2</sub> capsule with a light blow at the bottom of the grip. In this way the capsule stays full until you really need it.





### **AMMUNITION**







T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68




T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43







T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68



T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

18

T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50

T4E RUBBERBALL PRECISION .68



### THE SIDEKICK.

In the heat of action, you might not always hit your target. But when the magazine of your Home Defense Revolver has been emptied, the Backup Launcher is there to take over.

This launcher is the ideal extension for your HDR 50. It is easily mounted on the Picatinny rail under the barrel. Right away you have the additional power of a defense spray, accessible with an additional trigger only a fingers width away. You have a choice of pepper gel

or pepper spray for active defense, marking spray for later identification of an assailant, and training spray for practice with water. The housing for the spray is designed to pivot sideways for quick reloading. In Germany, carrying the HDR 50 or launcher is prohibited.

### T4E Launcher




### Compatible with T4E HDR 50 2.4757 / 2.4758

2.4757.2



Item no.	Content	Filling qty.	Purpose	
2.2050.1	Pepper spray	11 ml	Defense	
2.2050.2	Pepper gel	11 ml	Defense	
2.2050.3	Water	11 ml	Training	
2.2050.6	Color	11 ml	Marking	

#### Accuracy



Measured with marking spray, aimed with the sight of the HDR 50, minus the distance between the nozzle and the muzzle of the HDR 50  $\,$ 





### **AMMUNITION**



PPQ M2



T4E MARKINGBALL .43

T4E MARKINGBALL .50  $\bigcirc$ 

 $\bigcirc$ 

T4E MARKINGBALL .68

T4E MARKINGBALL PRECISION .50 T4E MARKINGBALL PRECISION .68

T4E PEPPERBALL .43 T4E PEPPERBALL .50

T4E PEPPERBALL .68

T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .68  $\circ$ 

T4E CHALKBALL .50

T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68  $\bigcirc$ T4E RUBBERBALL PRECISION .50

T4E RUBBERBALL PRECISION .68



### Critical situations can come up anytime. The Walther PPQ M2 T4E is made to handle them.

Like the famous original, the PPQ M2 T4E is extremely reliable. In emergencies its intuitive design and Hi-Grip surface finish give you a critical advantage in the seconds between drawing and firing.

And when you decide to fire, the eight .43 caliber projectiles in its magazine will hit their mark. You have a choice between rubberballs, pepperballs, chalkballs and markingballs.


Power is provided by the 12 g CO<sub>2</sub> capsule contained with them in the magazine. Whenever you put in a spare magazine you thus get a full CO<sub>2</sub> capsule with it. To protect yourself and others, the PPQ M2 T4E has a trigger safety. If you drop the gun by mistake, it won't fire.

### Walther PPQ M2 T4E



Item no.	2.4760 / 2.4762
Caliber	.43
Energy	4.5 Joules
$max. V_0$	110 m/s (360 fps)
Capacity	8 rounds
CO <sub>2</sub> -capacity*	ca. 40 rounds*
Weight	848 g
Length	180 mm

 $<sup>^{*}</sup>$  Number of shots per capsule can vary, depending on environment, temperature, quality of  ${\rm CO_2}$  and firing rate.



5 cm grouping (ø) at a distance of 5 meters shot with T4E rubberballs, cal. .43, 8 rounds.

### Walther PPQ M2 T4E RAL 8000

2.4760



2.4760.2



2.4760.1

2.4762



The emergency magazine keeps your PPQ M2 T4E ready to use at all times. If you want, you can wait until an emergency and then just pierce the CO<sub>2</sub> capsule with a light blow at the bottom of the grip. In this way the capsule stays full until you really need it.

20

 $\bigcirc$ 





T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68



T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68



T4E PEPPERBALL .43

T4E PEPPERBALL .50

T4E PEPPERBALL .68



T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50





### **AMMUNITION**



**HDS 68** 



T4E MARKINGBALL .50
T4E MARKINGBALL .68
T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68

T4E MARKINGBALL .43

 $\bigcirc$ 

T4E PEPPERBALL .43

T4E PEPPERBALL .50

T4E PEPPERBALL .68

T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68

T4E CHALKBALL .43 O

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68

T4E RUBBERBALL .43 O T4E RUBBERBALL .50

T4E RUBBERBALL .68

24

T4E RUBBERBALL PRECISION .50

T4E RUBBERBALL PRECISION .68





The double-barrel design of the Home Defense Shotgun 68 makes a big impression. And inside, it's impressive too, with an effective combination of power and speed.

Thanks to its quick-piercing system, this gun is ready to use at any time. With a light blow on the bottom of the grip you can puncture the CO<sub>2</sub> capsule whenever the occasion demands. But you can also see and feel from the pressure indicator whether the HDS 68 is ready to fire. The

large .68 caliber allows you to use rubberballs, pepperballs, chalkballs and markingballs, which can be shot individually or simultaneously from both barrels. And the non-slip surface of the Defense Shotgun 68 ensures that you always have a secure grip.






Art.Nr.	2.4763	2.4764	
Caliber	.68	.68	
Energy	5.5 Joules	12 Joules	
$max. V_0$	62 m/s (203 fps)	96 m/s (315 fps)	
Capacity	2 rounds	2 rounds	
CO <sub>2</sub> -capacity*	ca. 30 rounds*	ca. 20 rounds*	
Weight	1700 g	1700 g	
Length	490 mm	490 mm	


 $^{*}$  Number of shots per capsule can vary, depending on environment, temperature, quality of CO $_{2}$  and firing rate.

The quick-piercing system keeps your HDS 68 ready to use at all times. If you want, you can wait until an emergency and then just pierce the CO<sub>2</sub> capsule with a light blow at the bottom of the grip. In this way the capsule stays full until you really need it.

### Accuracy



10 cm grouping (ø) at a distance of 5 meters shot with T4E rubberballs, cal. .68, 10 rounds.



25

# **ACCESSORIES & AMMUNITION**



### **AMMUNITION**

T4E MARKINGBALL .43

T4E MARKINGBALL .50

T4E MARKINGBALL .68

T4E MARKINGBALL PRECISION .50

T4E MARKINGBALL PRECISION .68

T4E PEPPERBALL .43
T4E PEPPERBALL .50

T4E PEPPERBALL .68

T4E PEPPERBALL PRECISION .50

T4E PEPPERBALL PRECISION .68



T4E CHALKBALL .43

T4E CHALKBALL .50

T4E CHALKBALL .68

T4E CHALKBALL PRECISION .50

T4E CHALKBALL PRECISION .68



T4E RUBBERBALL .43

T4E RUBBERBALL .50

T4E RUBBERBALL .68



T4E RUBBERBALL PRECISION .50

T4E RUBBERBALL PRECISION .68



RB 68



T4E precisionballs owe their excellent performance to their hemispherical form and sabot. Their stable trajectory keeps them right on target.



This ammunition has been standard in T4E activities for many years. Its high quality makes it ideal for police training and self-defense.



Pepper ammunition, containing highly effective synthetic pepper, is also available both as standard ammunition and as precision balls.





ltem no.	Name	Content	Quantity
4.1682	Walther 12 g CO <sub>2</sub> Special Capsules	CO <sub>2</sub>	10
4.1683	Walther 12 g Valve Maintenance capsules	CO <sub>2</sub> & Oil	5





Cost-saving bulk packs for training purposes.

Item no.	Name	Caliber	Quantity	Purpose	Material	Weight
2.4772	T4E RB 43	.43	100	Training	Rubber	0.68 g
2.4773	T4E RB 43	.43	500	Training	Rubber	0.68 g
2.4774	T4E MB 43	.43	2 x 250	Marking	Liquid	0.78 g
2.4775	T4E CB 43	.43	2 x 250	Marking	Powder	0.73 g
2.4776	T4E PB 43	.43	10	Defense	Synth. pepper	0.54 g
2.4781	T4E RB 50	.50	500	Training	Rubber	1.06 g
2.4782	T4E MB 50	.50	2 x 250	Marking	Liquid	1.22 g
2.4783	T4E CB 50	.50	2 x 250	Marking	Powder	1.00 g
2.4784	T4E PB 50	.50	10	Defense	Synth. pepper	0.82 g
2.4785	T4E RBP 50	.50	50	Training	Rubber	0.76 g
2.4786	T4E MBP 50	.50	10	Marking	Liquid	0.96 g
2.4787	T4E CBP 50	.50	10	Marking	Powder	0.76 g
2.4788	T4E PBP 50	.50	10	Defense	Synth. pepper	0.82 g
2.4789	T4E RB 68	.68	100	Training	Rubber	2.80 g
2.4790	T4E MB 68	.68	50	Marking	Liquid	2.52 g
2.4791	T4E CB 68	.68	50	Marking	Powder	2.34 g
2.4792	T4E PB 68	.68	10	Defense	Synth. pepper	2.06 g
2.4793	T4E RBP 68	.68	50	Training	Rubber	1.94 g
2.4794	T4E MBP 68	.68	10	Marking	Liquid	1.85 g
2.4795	T4E CBP 68	.68	10	Marking	Powder	1.81 g
2.4796	T4E PBP 68	.68	10	Defense	Synth. pepper	1.78 g



**RUBBERBALLS** 

PEPPERBALLS &
CHALKBALLS

**MARKINGBALLS** 

